

# Safety Data Sheet

## Furniture Polish

Issued: 08/03/2025  
Version: 1.0.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Trade name:** Furniture Polish

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended uses:** Care product.

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

Company: Guardian Protection Products A/S  
Address: Knudevejen 22  
Zip code: 6600  
City: Vejen  
Country: DENMARK  
Email: guardian@guardian.dk  
Phone: +45 75471767  
Fax: +45 75471787

#### 1.4. Emergency Telephone Number

+45 75 47 17 67 (Guardian Protection Products A/S)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**CLP-classification:** The product shall not be classified as hazardous according to the classification and labeling rules for substances and mixtures..

**Most serious harmful effects:** May cause slight irritation to the skin and eyes. The product releases organic solvent vapours which may cause lethargy and dizziness. At high concentrations, the vapours may cause headache and intoxication.

#### 2.2. Label elements

The product shall not be classified as hazardous according to the classification and labeling rules for substances and mixtures..

#### 2.3. Other hazards

The product does not contain any PBT or vPvB substances.  
Endocrine disrupting properties: None known.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

Substance	CAS No./ EC No./ REACH Reg. No.	Concentration	Notes	CLP-classification
Naphtha (petroleum), hydrotreated heavy (<0.1% benzene)	64742-48-9 265-150-3 01-2119457273-39	15 -< 30 %	4	Asp. Tox. 1;H304

Please see section 16 for the full text of H- / EUH-phrases.

# Safety Data Sheet

## Furniture Polish

Issued: 08/03/2025  
Version: 1.0.0

4 = H304 is not applicable due to the high viscosity of the product.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>Inhalation:</b>	Seek fresh air.
<b>Ingestion:</b>	Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of persistent discomfort.
<b>Skin contact:</b>	Remove contaminated clothing. Wash the skin with water.
<b>Eye contact:</b>	Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.
<b>General:</b>	When obtaining medical advice, show the safety data sheet or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes. The product releases organic solvent vapours which may cause lethargy and dizziness. At high concentrations, the vapours may cause headache and intoxication.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

<b>Suitable extinguishing media:</b>	Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited stock.
<b>Unsuitable extinguishing media:</b>	Do not use water stream, as it may spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

Can generate harmful flue gases containing carbon monoxide in the event of fire.

#### 5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

<b>For non-emergency personnel:</b>	Stop leak if this can be done without risk.
<b>For emergency responders:</b>	In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

#### 6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

#### 6.3. Methods and material for containment and cleaning up

# Safety Data Sheet

## Furniture Polish

Issued: 08/03/2025  
Version: 1.0.0

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

### 7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely out of reach of children and not together with food, feed, medicine and the like. Keep in tightly closed original packaging. Do not store with the following: Strong oxidisers.

### 7.3. Specific end use(s)

None.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

<b>Occupational exposure limit:</b>	Contains no substances subject to reporting requirements.
<b>Measuring methods:</b>	Compliance with occupational exposure limits may be checked by occupational hygiene measurements.
<b>Legal basis:</b>	Commission Directive 2000/39/EC (Occupational Exposure Limits) as subsequently amended. Last amended by Commission Directive 2019/1831/EU. Directive 2004/37/EC (Exposure to carcinogens or mutagens at work) as subsequently amended. Last amended by Directive 2024/869/EU. Directive 2009/148/EC (Exposure to asbestos at work) as subsequently amended. Last amended by Directive 2023/2668/EU.

### 8.2. Exposure controls

<b>Appropriate engineering controls:</b>	Wear the personal protective equipment specified below.
<b>Personal protective equipment, eye/face protection:</b>	Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN 16321.
<b>Personal protective equipment, skin protection:</b>	Wear gloves. Type of material: Nitrile rubber. Gloves must conform to EN 374.
<b>Personal protective equipment, respiratory protection:</b>	Not required.
<b>Environmental exposure controls:</b>	Ensure compliance with local regulations for emissions.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

# Safety Data Sheet

## Furniture Polish

Issued: 08/03/2025  
Version: 1.0.0

Parameter	Value/unit
State	Liquid Viscous
Colour	Multiple colours
Odour	Characteristic
Solubility	Insoluble

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Boiling point or initial boiling point and boiling range	100 °C	
Flammability	No data	
Flammability limits	No data	
Lower and upper explosion limit	No data	
Flash Point	> 63 °C	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	No data	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	> 20.5 mm <sup>2</sup> /s	
Partition coefficient n-octanol/water (log value)	No data	
Vapour pressure	No data	
Density	No data	
relative density	0.9 - 1	
Relative vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

### 9.2. Other information

Parameter	Value/unit	Remarks
Explosive properties		Non-explosive
VOC (Volatile organic compounds):	15-30%	

Other Information: None.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Reacts with the following: Strong oxidisers.

### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

Avoid heating and contact with ignition sources.

### 10.5. Incompatible materials

# Safety Data Sheet

## Furniture Polish

Issued: 08/03/2025  
Version: 1.0.0

Strong oxidisers.

### 10.6. Hazardous decomposition products

None known.

## SECTION 11: Toxicological information

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Acute toxicity - oral

##### Naphtha (petroleum), hydrotreated heavy (<0.1% benzene), cas-no 64742-48-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 5000 mg/kg			

Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Acute toxicity - dermal

##### Naphtha (petroleum), hydrotreated heavy (<0.1% benzene), cas-no 64742-48-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		> 2000 mg/kg			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Acute toxicity - inhalation

##### Naphtha (petroleum), hydrotreated heavy (<0.1% benzene), cas-no 64742-48-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LC50	8h	> 5000 mg/m <sup>3</sup>			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Skin corrosion/irritation:

May cause slight irritation. The product does not have to be classified. Test data are not available.

#### Serious eye damage/eye irritation

##### Naphtha (petroleum), hydrotreated heavy (<0.1% benzene), cas-no 64742-48-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				Non-irritating		

Temporary irritation. The product does not have to be classified.

#### Respiratory sensitisation or skin sensitisation

##### Naphtha (petroleum), hydrotreated heavy (<0.1% benzene), cas-no 64742-48-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
				Non-sensitising		

The product does not have to be classified.

#### Germ cell mutagenicity

##### Naphtha (petroleum), hydrotreated heavy (<0.1% benzene), cas-no 64742-48-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source

The product does not have to be classified.

#### Carcinogenic properties

# Safety Data Sheet

## Furniture Polish

Issued: 08/03/2025  
Version: 1.0.0

### Naphtha (petroleum), hydrotreated heavy (<0.1% benzene), cas-no 64742-48-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source

The product does not have to be classified.

### Reproductive toxicity

### Naphtha (petroleum), hydrotreated heavy (<0.1% benzene), cas-no 64742-48-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source

The product does not have to be classified.

**Single STOT exposure:** The product releases organic solvent vapours which may cause lethargy and dizziness. At high concentrations, the vapours may cause headache and intoxication. The product does not have to be classified. Test data are not available.

### Repeated STOT exposure

### Naphtha (petroleum), hydrotreated heavy (<0.1% benzene), cas-no 64742-48-9

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source

The product does not have to be classified.

**Aspiration hazard:** The product does not have to be classified. Test data are not available.

### 11.2. Information on other hazards

**Endocrine disrupting properties:** None known.

**Other toxicological effects:** None known.

## SECTION 12: Ecological information

### 12.1. Toxicity

### Naphtha (petroleum), hydrotreated heavy (<0.1% benzene), cas-no 64742-48-9

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish	Oncorhynchus mykiss		96hLC50	> 1000 mg/l			
Crustacea	Daphnia sp.		48hEC50	> 1000 mg/l			
Algae	Pseudokirchneriella subcapitata		72hNOELR	1000 mg/l		OECD 201	
Algae	Pseudokirchneriella subcapitata		72hEL50	> 1000 mg/l			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

### 12.2. Persistence and degradability

### Naphtha (petroleum), hydrotreated heavy (<0.1% benzene), cas-no 64742-48-9

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
		28 d		80 %			

Test data are not available.

### 12.3. Bioaccumulative potential

# Safety Data Sheet

## Furniture Polish

Issued: 08/03/2025  
Version: 1.0.0

### Naphtha (petroleum), hydrotreated heavy (<0.1% benzene), cas-no 64742-48-9

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
				> 3			
				5.5 - 7.2			

Test data are not available.

#### 12.4. Mobility in soil

Test data are not available.

#### 12.5. Results of PBT and vPvB assessment

No assessment has been made.

#### 12.6. Endocrine disrupting properties

None known.

#### 12.7. Other adverse effects

None known.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

EWC code: Depends on line of business and use, for instance 16 03 06 organic wastes other than those mentioned in 16 03 05  
Absorbent/cloth contaminated with the product: EWC code: 15 02 03 absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02

### SECTION 14: Transport information

**14.1. UN number or ID number:** Not applicable.

**14.2. UN proper shipping name:** Not applicable.

**14.3. Transport hazard class(es):** Not applicable.

**14.4. Packing group:** Not applicable.

**14.5. Environmental hazards:** Not applicable.

#### 14.6. Special precautions for user

None.

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Special Provisions:**

# Safety Data Sheet

## Furniture Polish

Issued: 08/03/2025  
Version: 1.0.0

None known.

### 15.2. Chemical Safety Assessment

**Other Information:** Chemical safety assessment has not been performed.

### SECTION 16: Other information

#### Version history and indication of changes

Version	Revision date	Responsible	Changes
1.0.0	08/03/2025	SUJ	

**Abbreviations:**  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: Very Persistent and Very Bioaccumulative  
STOT: Specific Target Organ Toxicity  
DNEL: Derived No Effect Level  
PNEC: Predicted No Effect Concentration

**Other Information:** This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as subsequently changed.

**Training advice:** A thorough knowledge of this safety data sheet should be a prerequisite condition.

**Classification method:** Calculation based on the hazards of the known components.

#### Hazard statements

H304 May be fatal if swallowed and enters airways.

#### SDS is prepared by

Company: Bureau Veritas Solutions Denmark A/S  
Address: Oldenborggade 25-31  
Zip code: 7000  
City: Fredericia  
Country: DENMARK  
Email: solutions-dk@bureauveritas.com  
Phone: +45 77 31 10 00  
Homepage: www.bureauveritas.dk

**Country:** EU