



# **Stone Sealer**

Issued: 08/03/2025 Version: 1.0.0

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: Stone Sealer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended uses: Impregnation agents.

1.3. Details of the supplier of the safety data sheet

Supplier

Company: Guardian Protection Products A/S

Address: Knudevejen 22

Zip code: 6600
City: Vejen
Country: DENMARK

Email: guardian@guardian.dk

Phone: +45 75471767 Fax: +45 75471787

# 1.4. Emergency Telephone Number

+45 75 47 17 67 (Guardian Protection Products A/S)

# **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

**CLP-classification:** The product shall not be classified as hazardous according to the classification and

labeling rules for substances and mixtures..

**Most serious harmful effects:** May cause slight irritation to the skin and eyes. Inhalation of vapours may cause irritation

to the upper airways.

#### 2.2. Label elements

The product shall not be classified as hazardous according to the classification and labeling rules for substances and mixtures..

### 2.3. Other hazards

The product does not contain any PBT or vPvB substances.

Endocrine disrupting properties: None known.

# **SECTION 3: Composition/information on ingredients**

#### 3.2. Mixtures

·							
Substance CAS No./ EC No./ REACH Reg. No.		Concentration	Notes	CLP-classification			
2-(2- butoxyethoxy)ethanol	112-34-5 203-961-6	3 - 5 %	28	Eye Irrit. 2;H319			
3-butoxypropan-2-ol	5131-66-8 225-878-4	1 - 3 %		Skin Irrit. 2;H315 Eye Irrit. 2;H319			

Please see section 16 for the full text of H- / EUH-phrases.





# **Stone Sealer**

Issued: 08/03/2025 Version: 1.0.0

28 = The substance is covered by regulation 1907/2006/EU, annex XVII regarding restrictions

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

**Inhalation:** Seek fresh air.

Ingestion: Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical

advice in case of persistent discomfort.

**Skin contact:** Remove contaminated clothing. Wash the skin with water.

Eye contact: Flush with water (preferably using eye wash equipment) until irritation subsides. Seek

medical advice if symptoms persist.

**General:** When obtaining medical advice, show the safety data sheet or label.

#### 4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes. Inhalation of vapours may cause irritation to the upper airways.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

# **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media: Extinguish with powder, foam or water mist. Use water or water mist to cool non-ignited

stock

Unsuitable extinguishing

media:

Do not use water stream, as it may spread the fire.

#### 5.2. Special hazards arising from the substance or mixture

The product decomposes when combusted and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

#### 5.3. Advice for firefighters

Move containers from danger area if it can be done without risk. Avoid inhalation of vapour and flue gases - seek fresh air. If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: Stop leak if this can be done without risk. Stay upwind/keep distance from source.

For emergency responders: In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

# 6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

# 6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.





# **Stone Sealer**

Issued: 08/03/2025 Version: 1.0.0

#### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

#### 7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely out of reach of children and not together with food, feed, medicine and the like. Storage temperature: >0 °C. Do not store with the following: Strong acids/ Strong alkalis/ Strong oxidisers/ Strong reducing agents. Keep in tightly closed original packaging.

# 7.3. Specific end use(s)

None.

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### Occupational exposure limit

Substance name	Time period	ppm	mg/m³	Fiber/cm3	Remarks	Notation		
2-(2- butoxyethoxy) ethanol	8h	10	67.5					
2-(2- butoxyethoxy) ethanol	15m	15	101.2					

Measuring methods: Compliance with occupational exposure limits may be checked by occupational hygiene

measurements.

Legal basis: Commission Directive 2000/39/EC (Occupational Exposure Limits) as subsequently

amended. Last amended by Commission Directive 2019/1831/EU. Directive 2004/37/EC (Exposure to carcinogens or mutagens at work) as subsequently amended. Last amended by Directive 2024/869/EU. Directive 2009/148/EC (Exposure to asbestos at work) as

subsequently amended. Last amended by Directive 2023/2668/EU.

#### **PNEC**

2-(2-butoxyethoxy)ethano	ol, cas-no 112-34-5			
Exposure	Value	Assessment Factor	Extrapolation Method	Note
PNEC aqua (freshwater)	1.1 mg/l			
PNEC sediment (freshwater)	4.4 mg/kg			
PNEC aqua (marine water)	110 μg/l			
PNEC sediment (marine water)	440 μg/kg			
PNEC soil	320 μg/kg			
PNEC aqua (intermittent releases (fresh water))	11 mg/l			





# **Stone Sealer**

Issued: 08/03/2025 Version: 1.0.0

3-butoxypropan-2-ol, cas-no 5131-66-8							
Exposure	Value	Assessment Factor	Extrapolation Method	Note			
PNEC aqua (freshwater)	0,525 mg/l						
water)	0,0525 mg/l						
PNEC aqua (intermittent releases)							
PNEC STP (wastewater-treatment facilities)	10 mg/l						
PNEC sediment (freshwater)	2,36 mg/kg dw						
PNEC sediment (marine water)	0,236 mg/kg dw						
PNEC soil	0,16 mg/kg dw						

# **DNEL** - workers

2-(2-butoxyethoxy)et	hanol, cas-no 112-34-	-5			
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Inhalation DNEL (acute/short-term exposure - local effects)	101.2 mg/m³				
Inhalation DNEL (long-term exposure - local effects)	67.5 mg/m³				
3-butoxypropan-2-ol,	cas-no 5131-66-8				
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note
Dermal DNEL (long- term exposure - systemic effects)	52 mg/kg bw/day				
Inhalation DNEL (long-term exposure - systemic effects)	147 mg/m³				

# **DNEL** - general population

2-(2-butoxyethoxy)ethanol, cas-no 112-34-5							
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Oral DNEL (long- term exposure - systemic effects)	6.25 mg/kg bw/day						
3-butoxypropan-2-ol,	cas-no 5131-66-8						
Exposure	Value	Assessment Factor	Dose Descriptor	Main Impact Parameter	Note		
Dermal DNEL (long- term exposure - systemic effects)	22 mg/kg bw/day						
Inhalation DNEL (long-term exposure - systemic effects)	43 mg/m³						
Oral DNEL (long- term exposure - systemic effects)	12,5 g/kg bw/day						

# 8.2. Exposure controls





# **Stone Sealer**

Issued: 08/03/2025 Version: 1.0.0

Appropriate engineering

controls:

Wear the personal protective equipment specified below. Use the product under well-

ventilated conditions.

eye/face protection:

Personal protective equipment, Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN

Personal protective equipment, Not required.

skin protection:

hand protection:

Personal protective equipment, Plastic or rubber gloves recommended. The suitability and durability of a glove is dependant on usage, e.g. frequency and duration of contact, glove material thickness, functionality and chemical resistance. Always seek advice from the glove supplier.

respiratory protection:

Personal protective equipment, Light use (small volume, short term contact (below 10 min.)): Not required. Medium use (medium volume, medium contact (below 2 hours)); Wear respiratory protective equipment. Filter type: A/P. Respiratory protection must conform to one of the

following standards: EN 136/140/145.

**Environmental exposure** 

controls:

Ensure compliance with local regulations for emissions.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Parameter	Value/unit
State	Liquid
Colour	Clear
Odour	Odourless
Solubility	No data

Parameter	Value/unit	Remarks
Odour threshold	No data	
Melting point	No data	
Freezing point	No data	
Boiling point or initial boiling point and boiling range	100 °C	
Flammability	No data	
Flammability limits	No data	
Lower and upper explosion limit	No data	
Flash Point	No data	
Auto-ignition temperature	No data	
Decomposition temperature	No data	
pH (solution for use)	6.5	
pH (concentrate)	No data	
Kinematic viscosity	No data	
Viscosity	No data	
Partition coefficient n-octanol/water (log value)	No data	
Vapour pressure	No data	
Density	1 g/cm³	
relative density	No data	
Relative vapour density	No data	
Relative density (sat. air)	No data	
Particle characteristics	No data	

#### 9.2. Other information

Parameter	Value/unit	Remarks
1 didilictor	v aluc/ullit	I Ciliano





### **Stone Sealer**

Issued: 08/03/2025 Version: 1.0.0

VOC (Volatile organic compounds): 50 (g/L)

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

Reacts with the following: Strong acids/ Strong alkalis/ Strong oxidisers/ Strong reducing agents.

#### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

None known.

#### 10.5. Incompatible materials

Strong acids/ Strong alkalis/ Strong oxidisers/ Strong reducing agents.

#### 10.6. Hazardous decomposition products

None known.

# **SECTION 11: Toxicological information**

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

# Acute toxicity - oral

# 2-(2-butoxyethoxy)ethanol, cas-no 112-34-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rat	LD50		5660 mg/kg			

Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

#### Acute toxicity - dermal

#### 2-(2-butoxyethoxy)ethanol, cas-no 112-34-5

Organism	Test Type	Exposure time	Value	Conclusion	Test method	Source
Rabbit	LD50		2700 mg/kg			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

**Acute toxicity - inhalation:** The product does not have to be classified. Test data are not available.

**Skin corrosion/irritation:** May cause slight irritation. The product does not have to be classified. Test data are not

available.

Serious eye damage/eye

irritation:

May cause eye irritation. The product does not have to be classified. Test data are not

available.

Respiratory sensitisation or

skin sensitisation:

The product does not have to be classified. Test data are not available.

**Germ cell mutagenicity:** The product does not have to be classified. Test data are not available.





# **Stone Sealer**

Issued: 08/03/2025 Version: 1.0.0

**Carcinogenic properties:** The product does not have to be classified. Test data are not available.

**Reproductive toxicity:** The product does not have to be classified. Test data are not available.

**Single STOT exposure:** The product does not have to be classified. Test data are not available.

**Repeated STOT exposure:** The product does not have to be classified. Test data are not available.

**Aspiration hazard:** The product does not have to be classified. Test data are not available.

#### 11.2. Information on other hazards

**Endocrine disrupting** 

properties:

None known.

Other toxicological effects: None known.

# **SECTION 12: Ecological information**

# 12.1. Toxicity

# 2-(2-butoxyethoxy)ethanol, cas-no 112-34-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
Fish			96hLC50	1300 mg/l			
Crustacea	Daphnia sp.		48hEC50	> 100 mg/l			
Algae			IC50	53 mg/l			

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

# 12.2. Persistence and degradability

### 2-(2-butoxyethoxy)ethanol, cas-no 112-34-5

Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
				89 %		OECD 301 C	

Test data are not available for all substances.

### 12.3. Bioaccumulative potential

# 2-(2-butoxyethoxy)ethanol, cas-no 112-34-5

`	• ,	,					
Organism	Species	Exposure time	Test Type	Value	Conclusion	Test method	Source
			BCF	2.9			
			Log Kow	0.68			

Test data are not available for all substances.

# 12.4. Mobility in soil

Test data are not available.

#### 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

# 12.6. Endocrine disrupting properties

None known.

#### 12.7. Other adverse effects

None known.





# **Stone Sealer**

Issued: 08/03/2025 Version: 1.0.0

Not applicable.

Not applicable.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Avoid discharge to drain or surface water. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements. Empty, cleansed packaging should be disposed of for recycling. Uncleansed packaging is to be disposed of via the local waste-removal scheme.

EWC code: Depends on line of business and use, for instance 16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

Absorbent/cloth contaminated with the product: EWC code: 15 02 03 absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02

14.4. Packing group:

14.5. Environmental

hazards:

# **SECTION 14: Transport information**

**14.1. UN number or ID number:** Not applicable.

name:

14.3. Transport hazard

14.2. UN proper shipping

Not applicable.

Not applicable.

class(es):

14.6. Special precautions for user

None.

14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Special Provisions: None known.

# 15.2. Chemical Safety Assessment

# **SECTION 16: Other information**

# Version history and indication of changes

Version	Revision date	Responsible	Changes
1.0.0	08/03/2025	SUJ	

**Abbreviations:** PBT: Persistent, Bioaccumulative and Toxic

vPvB: Very Persistent and Very Bioaccumulative

STOT: Specific Target Organ Toxicity DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

UFI: Unique formula identifier.

Other Information: This safety data sheet has been prepared for and applies to this product only. It is based on

our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on

preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as





# **Stone Sealer**

Issued: 08/03/2025 Version: 1.0.0

subsequently changed.

**Training advice:** A thorough knowledge of this safety data sheet should be a prerequisite condition.

Classification method: Calculation based on the hazards of the known components.

**Hazard statements** 

H315 Causes skin irritation.

H319 Causes serious eye irritation.

SDS is prepared by

Company: Bureau Veritas Solutions Denmark A/S

Address: Oldenborggade 25-31

Zip code: 7000
City: Fredericia
Country: DENMARK

Email: solutions-dk@bureauveritas.com

Phone: +45 77 31 10 00 Homepage: www.bureauveritas.dk

Country: EU