

# Safety Data Sheet

## Black pigmented Oil

Issued: 08/03/2025  
Version: 1.0.0

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

**Trade name:** Black pigmented Oil

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Recommended uses:** Surface treatment

#### 1.3. Details of the supplier of the safety data sheet

##### Supplier

**Company:** Guardian Protection Products A/S  
**Address:** Knudevejen 22  
**Zip code:** 6600  
**City:** Vejen  
**Country:** DENMARK  
**Email:** guardian@guardian.dk  
**Phone:** +45 75471767  
**Fax:** +45 75471787

#### 1.4. Emergency Telephone Number

+45 75 47 17 67 (Guardian Protection Products A/S)

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

**CLP-classification:** The product shall not be classified as hazardous according to the classification and labeling rules for substances and mixtures..

**Most serious harmful effects:** May cause slight irritation to the skin and eyes.

#### 2.2. Label elements

The product shall not be classified as hazardous according to the classification and labeling rules for substances and mixtures..

#### 2.3. Other hazards

The product does not contain any PBT or vPvB substances.  
Endocrine disrupting properties: None known.

### SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

| Substance                     | CAS No./ EC No./ REACH Reg. No.            | Concentration | Notes | CLP-classification |
|-------------------------------|--------------------------------------------|---------------|-------|--------------------|
| White mineral oil (petroleum) | 8042-47-5<br>232-455-8<br>01-2119487078-27 | 80 - 90 %     | 4     | Asp. Tox. 1;H304   |

Please see section 16 for the full text of H- / EUH-phrases.

4 = H304 is not applicable due to the high viscosity of the product.

# Safety Data Sheet

## Black pigmented Oil

Issued: 08/03/2025  
Version: 1.0.0

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

|                      |                                                                                                                               |
|----------------------|-------------------------------------------------------------------------------------------------------------------------------|
| <b>Inhalation:</b>   | Seek fresh air.                                                                                                               |
| <b>Ingestion:</b>    | Wash out mouth thoroughly and drink 1-2 glasses of water in small sips. Seek medical advice in case of persistent discomfort. |
| <b>Skin contact:</b> | Remove contaminated clothing. Wash skin with soap and water.                                                                  |
| <b>Eye contact:</b>  | Flush with water (preferably using eye wash equipment) until irritation subsides. Seek medical advice if symptoms persist.    |
| <b>General:</b>      | When obtaining medical advice, show the safety data sheet or label.                                                           |

#### 4.2. Most important symptoms and effects, both acute and delayed

May cause slight irritation to the skin and eyes.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms. No special immediate treatment required.

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

|                                        |                                                             |
|----------------------------------------|-------------------------------------------------------------|
| <b>Suitable extinguishing media:</b>   | Extinguish with powder, foam, carbon dioxide or water mist. |
| <b>Unsuitable extinguishing media:</b> | Do not use water stream, as it may spread the fire.         |

#### 5.2. Special hazards arising from the substance or mixture

Can generate harmful flue gases containing carbon monoxide in the event of fire.

#### 5.3. Advice for firefighters

If there is a risk of exposure to vapour and flue gases, a self-contained breathing apparatus must be worn.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

**For non-emergency personnel:** Stop leak if this can be done without risk. Wear gloves.

**For emergency responders:** In addition to the above: Normal protective clothing equivalent to EN 469 is recommended.

#### 6.2. Environmental precautions

Prevent spillage from entering drains and/or surface water.

#### 6.3. Methods and material for containment and cleaning up

Contain and absorb spill with sand or other absorbent material and transfer to suitable waste containers. Wipe up minor spills with a cloth.

#### 6.4. Reference to other sections

See section 8 for type of protective equipment. See section 13 for instructions on disposal.

# Safety Data Sheet

## Black pigmented Oil

Issued: 08/03/2025  
Version: 1.0.0

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Running water and eye wash equipment should be available. Wash hands before breaks, before using restroom facilities, and at the end of work.

#### 7.2. Conditions for safe storage, including any incompatibilities

The product should be stored safely out of reach of children and not together with food, feed, medicine and the like. Keep in tightly closed original packaging.

#### 7.3. Specific end use(s)

None.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

**Occupational exposure limit:** Contains no substances subject to reporting requirements.

**Measuring methods:** Compliance with occupational exposure limits may be checked by occupational hygiene measurements.

**Legal basis:** Commission Directive 2000/39/EC (Occupational Exposure Limits) as subsequently amended. Last amended by Commission Directive 2019/1831/EU. Directive 2004/37/EC (Exposure to carcinogens or mutagens at work) as subsequently amended. Last amended by Directive 2024/869/EU. Directive 2009/148/EC (Exposure to asbestos at work) as subsequently amended. Last amended by Directive 2023/2668/EU.

#### DNEL - workers

| White mineral oil (petroleum), cas-no 8042-47-5         |                       |                   |                 |                       |      |
|---------------------------------------------------------|-----------------------|-------------------|-----------------|-----------------------|------|
| Exposure                                                | Value                 | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
| Inhalation DNEL (long-term exposure - systemic effects) | 160 mg/m <sup>3</sup> |                   |                 |                       |      |
| Dermal DNEL (long-term exposure - systemic effects)     | 220 ppm               |                   |                 |                       |      |

#### DNEL - general population

| White mineral oil (petroleum), cas-no 8042-47-5         |                      |                   |                 |                       |      |
|---------------------------------------------------------|----------------------|-------------------|-----------------|-----------------------|------|
| Exposure                                                | Value                | Assessment Factor | Dose Descriptor | Main Impact Parameter | Note |
| Dermal DNEL (long-term exposure - systemic effects)     | 92 mg/kg bw/day      |                   |                 |                       |      |
| Inhalation DNEL (long-term exposure - systemic effects) | 35 mg/m <sup>3</sup> |                   |                 |                       |      |
| Oral DNEL (long-term exposure - systemic effects)       | 40 mg/kg bw/day      |                   |                 |                       |      |

# Safety Data Sheet

## Black pigmented Oil

Issued: 08/03/2025  
Version: 1.0.0

### 8.2. Exposure controls

|                                                               |                                                                                                                                                                                                              |
|---------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Appropriate engineering controls:</b>                      | Wear the personal protective equipment specified below. Use the product under well-ventilated conditions.                                                                                                    |
| <b>Personal protective equipment, eye/face protection:</b>    | Wear safety goggles if there is a risk of eye splash. Eye protection must conform to EN 16321.                                                                                                               |
| <b>Personal protective equipment, hand protection:</b>        | Plastic or rubber gloves recommended. Gloves must not necessarily comply with a certain standard.                                                                                                            |
| <b>Personal protective equipment, respiratory protection:</b> | Not required. In case of spraying/formation of spraying mists: Wear respiratory protective equipment. Filter type: A. Respiratory protection must conform to one of the following standards: EN 136/140/145. |
| <b>Environmental exposure controls:</b>                       | Ensure compliance with local regulations for emissions.                                                                                                                                                      |

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

| Parameter  | Value/unit                              |
|------------|-----------------------------------------|
| State      | Liquid                                  |
| Colour     | Black                                   |
| Odour      | Odourless                               |
| Solubility | Not miscible with the following: Water. |

| Parameter                                                | Value/unit                    | Remarks |
|----------------------------------------------------------|-------------------------------|---------|
| Odour threshold                                          | No data                       |         |
| Melting point                                            | No data                       |         |
| Freezing point                                           | No data                       |         |
| Boiling point or initial boiling point and boiling range | No data                       |         |
| Flammability                                             | No data                       |         |
| Flammability limits                                      | No data                       |         |
| Lower and upper explosion limit                          | 0.6 - 6.5 vol%                |         |
| Flash Point                                              | > 180 °C                      |         |
| Auto-ignition temperature                                | No data                       |         |
| Decomposition temperature                                | No data                       |         |
| pH (solution for use)                                    | No data                       |         |
| pH (concentrate)                                         | No data                       |         |
| Kinematic viscosity                                      | No data                       |         |
| Viscosity                                                | > 20.5 mm <sup>2</sup> /s     | (40 °C) |
| Partition coefficient n-octanol/water (log value)        | No data                       |         |
| Vapour pressure                                          | No data                       |         |
| Density                                                  | No data                       |         |
| relative density                                         | No data                       |         |
| Relative vapour density                                  | No data                       |         |
| Relative density (sat. air)                              | No data                       |         |
| Particle characteristics                                 | 0.86 - 0.97 g/cm <sup>3</sup> |         |

### 9.2. Other information

| Parameter                         | Value/unit | Remarks |
|-----------------------------------|------------|---------|
| VOC (Volatile organic compounds): | 0 %        |         |

**Other Information:** None.

# Safety Data Sheet

## Black pigmented Oil

Issued: 08/03/2025  
Version: 1.0.0

### SECTION 10: Stability and reactivity

#### 10.1. Reactivity

Not reactive.

#### 10.2. Chemical stability

The product is stable when used in accordance with the supplier's directions.

#### 10.3. Possibility of hazardous reactions

None known.

#### 10.4. Conditions to avoid

Avoid exposure to daylight or other light sources.

#### 10.5. Incompatible materials

None known.

#### 10.6. Hazardous decomposition products

None, if stored at the recommended storage conditions. The product decomposes when combusted or heated to high temperatures and the following toxic gases can be formed: Carbon monoxide and carbon dioxide.

### SECTION 11: Toxicological information

#### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Acute toxicity - oral

##### White mineral oil (petroleum), cas-no 8042-47-5

| Organism | Test Type | Exposure time | Value        | Conclusion | Test method | Source |
|----------|-----------|---------------|--------------|------------|-------------|--------|
| Rat      | LD50      |               | > 5000 mg/kg |            |             |        |

Ingestion may cause discomfort. The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

##### Acute toxicity - dermal

##### White mineral oil (petroleum), cas-no 8042-47-5

| Organism | Test Type | Exposure time | Value        | Conclusion | Test method | Source |
|----------|-----------|---------------|--------------|------------|-------------|--------|
| Rabbit   | LD50      |               | > 2000 mg/kg |            |             |        |

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

##### Acute toxicity - inhalation

##### White mineral oil (petroleum), cas-no 8042-47-5

| Organism | Test Type | Exposure time | Value        | Conclusion | Test method | Source |
|----------|-----------|---------------|--------------|------------|-------------|--------|
| Rabbit   | LD50      |               | > 5000 mg/kg |            |             |        |

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

##### Skin corrosion/irritation:

Degreases and dries the skin. Repeated exposure may cause skin dryness or cracking.  
The product does not have to be classified. Test data are not available.

##### Serious eye damage/eye irritation:

May cause eye irritation. The product does not have to be classified. Test data are not available.

##### Respiratory sensitisation or

The product does not have to be classified. Test data are not available.

# Safety Data Sheet

## Black pigmented Oil

Issued: 08/03/2025  
Version: 1.0.0

### skin sensitisation:

**Germ cell mutagenicity:** The product does not have to be classified. Test data are not available.

**Carcinogenic properties:** The product does not have to be classified. Test data are not available.

**Reproductive toxicity:** The product does not have to be classified. Test data are not available.

**Single STOT exposure:** Inhalation of vapours/spray mist may cause irritation to the upper airways. The product does not have to be classified. Test data are not available.

**Repeated STOT exposure:** The product does not have to be classified. Test data are not available.

**Aspiration hazard:** The product does not have to be classified. Test data are not available.

### 11.2. Information on other hazards

**Endocrine disrupting properties:** None known.

**Other toxicological effects:** None known.

## SECTION 12: Ecological information

### 12.1. Toxicity

#### White mineral oil (petroleum), cas-no 8042-47-5

| Organism | Species | Exposure time | Test Type | Value       | Conclusion | Test method | Source |
|----------|---------|---------------|-----------|-------------|------------|-------------|--------|
| Fish     |         |               | 96hLC50   | > 1000 mg/l |            |             |        |

The product does not have to be classified. Based on existing data, the classification criteria are deemed not to have been met.

### 12.2. Persistence and degradability

Test data are not available.

### 12.3. Bioaccumulative potential

Test data are not available.

### 12.4. Mobility in soil

Test data are not available.

### 12.5. Results of PBT and vPvB assessment

The product does not contain any PBT or vPvB substances.

### 12.6. Endocrine disrupting properties

None known.

### 12.7. Other adverse effects

None known.

## SECTION 13: Disposal considerations

### 13.1. Waste treatment methods

Avoid discharge to drain or surface water. Empty, cleansed packaging should be disposed of for recycling. Uncleansed

# Safety Data Sheet

## Black pigmented Oil

Issued: 08/03/2025  
Version: 1.0.0

packaging is to be disposed of via the local waste-removal scheme. If this product as supplied becomes a waste, it does not meet the criteria of a hazardous waste (Dir. 2008/98/EU). Disposal should be in accordance with applicable regional, national and local laws and regulations. Local regulations may be more stringent than regional or national requirements.

EWC code: Depends on line of business and use, for instance 16 05 09 discarded chemicals other than those mentioned in 16 05 06, 16 05 07 or 16 05 08

Absorbent/cloth contaminated with the product: 15 02 03 absorbents, filter materials, wiping cloths and protective clothing other than those mentioned in 15 02 02

### SECTION 14: Transport information

**14.1. UN number or ID number:** Not applicable.  
**14.2. UN proper shipping name:** Not applicable.  
**14.3. Transport hazard class(es):** Not applicable.  
**14.4. Packing group:** Not applicable.  
**14.5. Environmental hazards:** Not applicable.

#### 14.6. Special precautions for user

None.

#### 14.7. Maritime transport in bulk according to IMO instruments

Not applicable.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

**Special Provisions:** None known.

#### 15.2. Chemical Safety Assessment

| REACH Reg. No.   | Substance name                |
|------------------|-------------------------------|
| 01-2119487078-27 | White mineral oil (petroleum) |

### SECTION 16: Other information

#### Version history and indication of changes

| Version | Revision date | Responsible | Changes |
|---------|---------------|-------------|---------|
| 1.0.0   | 08/03/2025    | JST         |         |

**Abbreviations:**  
DNEL: Derived No Effect Level  
PBT: Persistent, Bioaccumulative and Toxic  
PNEC: Predicted No Effect Concentration  
STOT: Specific Target Organ Toxicity  
vPvB: Very Persistent and Very Bioaccumulative

**Other Information:** This safety data sheet has been prepared for and applies to this product only. It is based on our current knowledge and the information that the supplier was able to provide about the product at the time of preparation. The safety data sheet complies with applicable law on preparation of safety data sheets in accordance with 1907/2006/EC (REACH) as subsequently changed.

**Training advice:** A thorough knowledge of this safety data sheet should be a prerequisite condition.

# Safety Data Sheet

## Black pigmented Oil

Issued: 08/03/2025  
Version: 1.0.0

**Classification method:** Calculation based on the hazards of the known components.

### Hazard statements

H304 May be fatal if swallowed and enters airways.

### SDS is prepared by

Company: Bureau Veritas Solutions Denmark A/S  
Address: Oldenborggade 25-31  
Zip code: 7000  
City: Fredericia  
Country: DENMARK  
Email: solutions-dk@bureauveritas.com  
Phone: +45 77 31 10 00  
Homepage: www.bureauveritas.dk

**Country:** EU